



BELOW THE HOOK LIFTING NEEDS ANALYSIS: LIGHT WEIGHT C HOOK – MODEL 55

Used for lifting coils

Comes standard with handle for ease of coil positioning

Light weight for easier handling & storage

Ground radius on lower arm to avoid ID coil damage



Standard Light Weight C Hook Nominal Dimensions

Catalog #	Capacity	Max Coil Width	O	Lifting Arm		Plate Thickness T	Bail Dimensions			Unit Weight
				Length L	Depth D		Y	W	H	
55-1/2-8	1/2 Ton	8"	15"	8"	2"	1/2"	13/16"	2"	3-1/4"	14 LBS
55-1/2-12	1/2 Ton	12"	15"	12"	2-1/2"	1/2"	13/16"	2"	3-1/4"	20 LBS
55-1-8	1 Ton	8"	18"	8"	2"	1/2"	13/16"	2"	3-1/4"	15 LBS
55-1-16	1 Ton	16"	18"	16"	2-1/2"	1/2"	13/16"	2"	3-1/4"	20LBS
55-2-8	2 Ton	8"	20"	8"	2-1/8"	3/4"	1"	2-9/16"	4-1/16"	22 LBS
55-2-16	2 Ton	16"	20"	16"	3"	3/4"	1"	2-9/16"	4-1/16"	40 LBS
55-3-12	3 Ton	12"	22"	12"	2-7/8"	1"	3-5/8"	3-5/8"	5-5/16"	50 LBS
55-3-16	3 Ton	16"	22"	16"	3-3/8"	1"	3-5/8"	3-5/8"	5-5/16"	63 LBS

Design Your Own Light Weight C Hook: (Engineering must approve any modification)

Capacity: _____ Max Coil Width: _____ O: _____ L: _____

D: _____ T: _____ Y: _____ W: _____ H: _____

Notes / Crane Hook Requirements: _____

Wisconsin Lifting Specialists:

"The SMART CHOICE in Lifting and Rigging Products"

Toll Free: 800-242-4449

www.wisconsinlifting.com



Client Contact Information:

Company: _____

Contact: _____

Phone / Fax: _____

Email: _____